


TEXTILES:

	TEST	SAMPLE SIZE	
ABRASION	Martindale 20,000 cycles	18" x full width	
	Taber 3,000 cycles	12" x 12"	
	Wyzenbeek 15,000 double rubs	18" x full width	
COLORFASTNESS TO	Crocking: Dry Wet	8" x 8" 8" x 8"	
	Dry Cleaning or Machine* Laundering:		
	1 cycle:	1 sample	1 pc: 36" x full width
		2 samples	2 pcs: 36" x full width
	3 cycles:	1 sample	1 pc: 36" x full width
		2 samples	2 pcs: 36" x full width
	5 cycles:	1 sample	1 pc: 36" x full width
		2 samples	2 pcs: 36" x full width
	10 cycles:	1 sample	1 pc: 36" x full width
		2 samples	2 pcs: 36" x full width
		Light: 20 hours 40 hours 60 hours	8" x 8" 8" x 8" 8" x 8"
CONSTRUCTION	Thickness	10" x full width	
	Thread Count	10" x full width	
	Weight	10" x full width	
	Yarn Size	10" x full width	
	Yield	10" x full width	
DIMENSIONAL	Dry Cleaning or Machine* Laundering:		
STABILITY (Shrinkage/Elongation)	1 cycle:	1 sample	1 pc: 36" x full width
		2 samples	2 pcs: 36" x full width
	3 cycles:	1 sample	1 pc: 36" x full width
		2 samples	2 pcs: 36" x full width
	5 cycles:	1 sample	1 pc: 36" x full width
		2 samples	2 pcs: 36" x full width
	10 cycles:	1 sample	1 pc: 36" x full width
	2 samples	2 pcs: 36" x full width	



	TEST	SAMPLE SIZE
FIBER ID	First Fiber Second Fiber	10" x full width
FLAMMABILITY	See separate price lists	
PILLING	Brush	36" x 36"
	Random Tumble	18" x full width
	Martindale	18" x full width
STRENGTH	Bursting Strength	18" x full width
	Coating Adhesion	18" x full width
	Breaking Strength	12" x 36"
	Seam Slippage	18" x 36"
	Tear Strength: Elmendorf	18" x full width
	Tongue	18" x full width
	Trapezoid	18" x full width
STRETCH	ASTM D 3107 SAE J855 JIFSG 10	36" x full width 36" x full width 35" x full width
	UFS 1979-12	36" x full width
MISCELLANEOUS	Air Permeability	18" x full width
	Blocking	18" x full width
	Cold Crack: At -20°F to +32°F	18" x full width
	Under -20°F	18" x full width
	Moisture Content	16" x 16"
	Non Fibrous Materials Extraction	12" x 12"
	ph Determination	18" x 18"
	Specific Density	
	Stain Release (11 stains)	18" x full width
	Water Vapor Transmission	36" x full width
	Formaldehyde	36" x full width

Please contact Govmark for other tests which are not listed.



OTHER GOVMARK SERVICES:		
FLAMMABILITY TESTING...		
Apparel British Upholstery Standards Building & Fire Codes Drapery Fabric	FAR & Commercial Airlines Flexible Foams & Plastic Materials Mattresses, Ticking, & Mattress Pads Miscellaneous Flammability Tests	Textiles (Non Flammability Tests) UL 94 Upholstery Fabric & Upholstered Furniture Wallcoverings
FLAMMABILITY TESTERS...		
45 Degree Cabinet Horizontal Cabinet ASTM E 162 Radiant Panel Tester TPP Tester	Flooring Radiant Panel Tester Smoke Density Chamber Vertical Cabinet FTM 5903 Rate of Heat Release (OSU Apparatus) Children's Sleepwear Equipment	FAA Seat Cushion Tester FAA Cargo Liner Tester NFPA Small Scale Cabinet NFPA Large Scale Cabinet
Govmark's FLAMMABILITY PUBLICATION...		
The Govmark Book on Flammability Standards and Flammability Test Methods of Textiles, Plastics, and Other Materials Used in Home and Contract Furnishings: Analyses of Codes Contains easy-to-understand summaries and sketches of test methods. Anticipated publication date: December 2003.		